

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	6	((("20020062396") or ("20020077712") or ("20020138649") or ("20020193983") or ("6,519,557") or ("6,718,519")).PN.	US-PGPUB; USPAT	OR	OFF	2004/11/26 08:23
L3	764	embed\$4 with (script or program or Applet) with (webpage or page) and (@AD < "20001101" or @RLAD < "20001101" or @PRAD < "20001101")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/26 10:33
L4	3802	dynamic near10 (webpage or page) and (@AD < "20001101" or @RLAD < "20001101" or @PRAD < "20001101")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/26 15:33
L5	65	(3 or 4) and provid\$3 adj10 (additional or supplemental or interactiv\$3 or graphic or improv\$4 or enhanc\$3) adj10 (page or webpage)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/26 14:02
L6	2	5 and (select or choos\$3 or determin\$3) adj10 language	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/26 11:45
L7	8	5 and (translat\$3 or conver\$4) adj10 language	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/26 12:05
L8	49	3 and (select or choos\$3 or determin\$3) adj10 language	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/26 11:46
L9	10	8 and (translat\$3 or conver\$4) adj10 language	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/26 11:46
L10	5	4 and (translat\$3 or conver\$4) adj10 (selected or chosen or specified or prefer\$5) near3 language	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/26 14:29

L11	114	(5 or 8)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/26 14:03
L12	0	11 and (translat\$3 or conver\$4) near20 (locally or client) and download near10 (dictionary or language near10 (pack or module or database or reference))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/26 14:53
L13	6	11 and (translat\$3 or conver\$4) near20 (locally or client) and download near10 (dictionary or language or pack or module or database or reference)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/26 14:30
L14	37	(translat\$3 or conver\$4) with (selected or chosen or specified or prefer\$5) near3 language with (webpage or page) and (@AD < "20001101" or @RLAD < "20001101" or @PRAD < "20001101")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/26 14:48
L15	2	14 and (translat\$3 or conver\$4) near20 (locally or client) and download near10 (dictionary or language or pack or module or database or reference)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/26 15:34
L16	12	14 and (translat\$3 or conver\$4) near20 (locally or client)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/26 14:49
L17	91	(translat\$3 or conver\$4) with (selected or chosen or specified or prefer\$5) with language with (webpage or page) and (@AD < "20001101" or @RLAD < "20001101" or @PRAD < "20001101")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/26 15:37
L18	3	17 and (translat\$3 or conver\$4) near20 (locally or client) and download near10 (dictionary or language or pack or module or database or reference)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/26 15:30
L19	17	17 and (translat\$3 or conver\$4) near20 (locally or client)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/26 14:53

L22	86	(translat\$3 or conver\$4) near10 (dynamic or supplemental or pop-up) adj5 (content or terms or items or information or data or phrase or vocabulary or words) near10 (dictionary or language or pack or module or database or reference)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/26 15:36
L23	43	22 and (@AD < "20001101" or @RLAD < "20001101" or @PRAD < "20001101")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/26 15:33
L24	2	23 and download near10 (dictionary or language or pack or module or database or reference)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/26 15:35
L25	3	23 and (translat\$3 or conver\$4) with (selected or chosen or specified or prefer\$5) with language	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/26 15:37

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	6	((("20020062396") or ("20020077712") or ("20020138649") or ("20020193983") or ("6,519,557") or ("6,718,519")).PN.	US-PGPUB; USPAT	OR	OFF	2004/11/26 08:23
L3	764	embed\$4 with (script or program or Applet) with (webpage or page) and (@AD < "20001101" or @RLAD < "20001101" or @PRAD < "20001101")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/26 10:33
L4	3802	dynamic near10 (webpage or page) and (@AD < "20001101" or @RLAD < "20001101" or @PRAD < "20001101")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/26 15:33
L5	65	(3 or 4) and provid\$3 adj10 (additional or supplemental or interactiv\$3 or graphic or improv\$4 or enhanc\$3) adj10 (page or webpage)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/26 14:02
L6	2	5 and (select or choos\$3 or determin\$3) adj10 language	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/26 11:45
L7	8	5 and (translat\$3 or conver\$4) adj10 language	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/26 12:05
L8	49	3 and (select or choos\$3 or determin\$3) adj10 language	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/26 11:46
L9	10	8 and (translat\$3 or conver\$4) adj10 language	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/26 11:46
L10	5	4 and (translat\$3 or conver\$4) adj10 (selected or chosen or specified or prefer\$5) near3 language	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/26 14:29

L11	114	(5 or 8)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/26 14:03
L12	0	11 and (translat\$3 or conver\$4) near20 (locally or client) and download near10 (dictionary or language near10 (pack or module or database or reference))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/26 14:53
L13	6	11 and (translat\$3 or conver\$4) near20 (locally or client) and download near10 (dictionary or language or pack or module or database or reference)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/26 14:30
L14	37	(translat\$3 or conver\$4) with (selected or chosen or specified or prefer\$5) near3 language with (webpage or page) and (@AD < "20001101" or @RLAD < "20001101" or @PRAD < "20001101")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/26 14:48
L15	2	14 and (translat\$3 or conver\$4) near20 (locally or client) and download near10 (dictionary or language or pack or module or database or reference)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/26 15:34
L16	12	14 and (translat\$3 or conver\$4) near20 (locally or client)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/26 14:49
L17	91	(translat\$3 or conver\$4) with (selected or chosen or specified or prefer\$5) with language with (webpage or page) and (@AD < "20001101" or @RLAD < "20001101" or @PRAD < "20001101")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/26 15:37
L18	3	17 and (translat\$3 or conver\$4) near20 (locally or client) and download near10 (dictionary or language or pack or module or database or reference)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/26 15:30
L19	17	17 and (translat\$3 or conver\$4) near20 (locally or client)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/26 14:53

L22	86	(translat\$3 or conver\$4) near10 (dynamic or supplemental or pop-up) adj5 (content or terms or items or information or data or phrase or vocabulary or words) near10 (dictionary or language or pack or module or database or reference)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/26 15:36
L23	43	22 and (@AD < "20001101" or @RLAD < "20001101" or @PRAD < "20001101")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/26 15:33
L24	2	23 and download near10 (dictionary or language or pack or module or database or reference)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/26 15:35
L25	3	23 and (translat\$3 or conver\$4) with (selected or chosen or specified or prefer\$5) with language	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/26 15:37